

EN 361



SPECIAL FEATURES



Protection for maximum user's weight of 140 kg (with equipment and tools)



Suitable for explosion-hazard zones

For an additional fee, you can order a product equipped with an RFID (NFC) transponder.

PARAMETERS

Color	yellow-blue	Type	manual buckle
-------	-------------	------	---------------

TAPES

Material	polyester
Width	45 mm

THREADS

Material	polyester
----------	-----------

CONNECTING AND ADJUSTING BUCKLES

Material	High-carbon steel, galvanised, ABS
Type	automatic

ADJUSTING BUCKLES

Material	galvanized steel
----------	------------------

ATTACHMENT BUCKLE

Material	aluminium
----------	-----------

CHEST BUCKLE

Material	High-carbon steel, galvanised, ABS
Type	automatic


SHOULDER STRAP CROSS MEMBER

Material	plastic
----------	---------

VARIANTS

ref. no.	size
-	S
-	M - XL
-	XXL


FIGURES



DIMENSIONS

	W	H	C	T
S	75 - 110 cm	155 - 170 cm	70 - 90 cm	40 - 60 cm
M-XL	85 - 100 cm	164 - 180 cm	85 - 120 cm	50 - 75 cm
XXL	100 - 130 cm	180 - 195 cm	90 - 140 cm	60 - 85 cm

ADDITIONAL PHOTOS



PHOTOS 360 (ROTATING)



P-11mX

Safety harness

IMPROVED



PROTEKT[®]

PROTEKT Grzegorz Laszkiewicz Spolka z o.o. Starorudzka 9, 93-403 Lodz, POLAND
KRS: 0001009727 | REGON: 524047958 | NIP: 7292747932

WWW.PROTEKT.PL

EXPORT SALES DEPARTMENT Skromna 6, 93-405 Lodz, POLAND
Phone: +48 42 29 29 500, export@protekt.com.pl, Fax +48 42 680-20-93